

Purchase Order Receipt Listing

Wednesday, January 09, 2013 3:12:44 PM


All amounts are calculated in domestic currency.

All Vendors PO ID PO18685 All Receipt Dates All Line Item Types

All Vendors	All Rec. Employees	All Currencies
All Item ID/GL/WOs		

Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
Vendor ID \ Vendor Name VC-CAM002 Campi Steel											
PO18685	1		M1010S16GA	sf	1/4/2013	1/9/2013	192.0000	\$1.77	0.0000	0	\$340.03
CAD	No		1010/1025 sheet	sf	196.0000	DES102		\$340.03	0.0000	0	
			16GA								
			124193								
	2		M6061T6S.100	sf	1/8/2013	1/9/2013	96.0000	\$5.92	0.0000	0	\$568.32
	No		6061-T6 .100 Sheet	sf	96.0000	DES102		\$568.32	0.0000	0	
			124193								
Total Received Quantity:											288.0000
Total Qty to Inspect (PO U/M):											0.0000
Total Reject Quantity:											0.0000
Total Receipt Value:											\$908.35
Total Balance Due Quantity:											4.0000



935, boul. du Havre
Valleyfield (Québec)
J6S 5L1

TELÉPHONE 50 377-4248 **MONTREAL** 514 336-4248
FAX: 50 377-5596 **FAX:** 514 336-4246

DISTRIBUTEUR D'ACIER ET MÉTAUX SPÉCIALISÉS
STEEL AND SPECIAL METALS DISTRIBUTOR
On a du Savoir "FER"

On a du Savoir "FER"

VENDU À / SOLD TO:

613-632-5200 613-632-1053

EXPÉDIEZ À / SHIP TO:

DART AEROSPACE LTD
1270 ABERDEEN STREET
#HAWKESBURY,
ONTARIO
K6A 1K7

DART AEROSPACE LTD
1270 ABERDEEN STREET
HAMKESBURY,
ONTARIO
K6A 1K7

FOUR-011

VOTRE N° DE COMMANDE / YOUR P.O. N°	VENDEUR / SALESMAN	CODE CLIENT / CUST. CODE	EXPEDIE PAR / SHIP VIA	TERMES / TERMS	REMARQUES / REMARKS	PAGE N°
0018685	FL	DAER		NET 30 JOURS	2R	001

[illegible]

Unités de mesure : * <i>Units of measure:</i>	CLB	Cent livres Hundred pounds	CPI	Cent pieds Hundred feet	UN	Unité Unit	PI	Pied carré Square foot
--	-----	-------------------------------	-----	----------------------------	----	---------------	----	---------------------------

CONDITIONS

[illegible]

PREPARE / PREPARE	VERIFIE / VERIFIED	LIVRE / DELIVERED	HEURE / TIME
PAR BY	PAR BY	PAR BY	

LIVRÉ / DELIVERED	HEURE / TIME
-------------------	--------------

N° ENR. TPS / GST REG. N° R 135 534 717 • N° ENR. TVQ / QST REG. N° 015 668 543

CONDITIONS:

ALL SOLD AND DELIVERED MATERIALS REMAIN THE PROPERTY OF "ACHER CAMPING," UNTIL PAYMENT IS MADE IN FULL, COMPLETE AND CASHED. ALL LOTD AND MATERIALS ARE AT THE BUYERS RISK. * ALL MATERIALS BEAR THE SAME WARRANTY AS GIVEN BY THE MANUFACTURER. * ALL LOTD MATERIALS ARE AT THE BUYERS RISK. * ALL MATERIALS BEAR THE SAME WARRANTY AS GIVEN BY THE MANUFACTURER. * THE BUYER HEREBY ACCEPTS TO REFLECT THE FOLLOWING CONDITIONS: NET 30 DAYS FROM BILLING DATE AND THE BUYER AGREES TO PAY FOR ADMINISTRATION CHARGES OF 2% PER MONTH OR 24% PER ANNUUM ON ALL PAST DUE ACCOUNTS OVER 30 DAYS. * ANY OTHER LATE FEES DUE ON THIS CONTRACT WILL LEAD TO PAYMENT BY ACCELERATION AND PENALTY TO THE SELLER, WITH NO OTHER DISCOUNTS. * ANY MISCELLANEOUS REPOSSESSION OF THE GOODS SOLD. * ANY CLAIM MUST BE MADE WITHIN 60 DAYS WITH PROOF OF LOSS. * ANY MISCELLANEOUS CLAIM HAS BEEN DAMAGED, LOST OR MODIFIED CANNOT BE RETURNED. * ALL GOODS RETURNED MUST BE WITH YOUR AUTHORIZATION AND ARE SUBJECT TO A 25% RESCUE CHARGE.

MARCHANDISE REQUIERE BONNE CONDITION MERCHANDISE RECEIVED IN GOOD CONDITION

	A/Y	M/M	J/D
	13	01	09

SIGNATURE DU CLIENT / CUSTOMERS SIGNATURE _____ DATE _____

SQUS-TOTAL	TPS	TVQ/TVH
SUB-TOTAL	GST	QST/HST

TOTAL

CERTIFIED INSPECTION REPORT

We hereby certify that the material covered by this certificate has been inspected with, and has been found to meet the applicable requirements described therein, including any specifications forming a part of the description and that samples representative of the material met the composition limits and had the mechanical properties shown on the face of this sheet.

This test report shall not be reproduced except in full, without the written approval of the Quality Department. No alteration, addition or other change is authorized to be made to this certificate. The recording of false, fictitious, or otherwise fraudulent statements or entries on this certificate by any recipient may be punished as a felony under applicable law.

Per:

Rob Woodall

Rob Woodall
Director of Manufacturing Development Works

Terrence Thom

Terrence Thom
Quality Assurance Manager

Page 1 of 2

1381356
Ship Date 2012-05-16
P.O. No./Govt Contract No. C64813 Ln#: 4

0
B.L. No. 7036272
Customer

Invoice No. 00000

Alcoa No. Item 1000363803-4
Alcoa Item DPE-63803-4

Ship To:

Item Description
0.1 IN TK (+0.0000 -.0060) X 48.0 IN W (+.125
-.125) X 144.0 IN LN (+.15625 -.15625) (N) A/T 6061-
T6 FLAT SHEET FOR DISTRIBUTORS TOLERANCE
GUARANTEED. AMS4027 REV N EXC MRK ASME-SB-
209 REV 11 EXC MRK ASTM B209 REV 10
CMMP025 REV U ((MARKED)) KRAFT PAPER
INTERLEAVED MAX GROSS
SKID WGT: 4500 LB QUAN TOL +/-30 %
CQR 0230501 REV 02 CUST REQ 12-05-
12 *** W/E 12-05-26 ***

Num	Package Ticket	Lot	Weight	Quantity	UOM	Inspector	Clock Numbers
1	411909	463273	4058	63	PC	27809	46940 D8992800
2	411934	463273	4074	63	PC	27809	46940 D8992801
3	411935	463273	1876	29	PC	27809	46940 D8992802
			10008	155			

Notes for CQR: 0230501.2
PRODUCT PRODUCED TO THE REQUIREMENTS OF AMS4027 REV N ALSO MEET THE REQUIREMENTS OF AMS-QQ-A-250_11 ORIGINAL REVISIO N DATED 1997-08-01.

CQR: 0230501.2 -Specification Limits

UTS	TYS	EL4D
KSI	KSI	PCT
Max	Max	
Min	Min	
42.0	35.0	10

13/01/10

CERTIFIED INSPECTION REPORT

We hereby certify that the material covered by this certificate has been inspected with, and has been found to meet the applicable requirements described therein, including any specifications forming a part of the description and that samples representative of the material met the composition limits and had the mechanical properties shown on the face of this sheet.

This test report shall not be reproduced except in full, without the written approval of the Quality Department. No alteration, addition or other change is authorized to be made to this certificate. The recording of false, fictitious, or otherwise fraudulent statements or entries on this certificate by any recipient may be punished as a felony under applicable law.

Per:

Rob Woodall
 Rob Woodall
 Director of Manufacturing Davenport Works

Terrence Thom
 Terrence Thom
 Quality Assurance Manager

1381356
 Ship Date 2012-05-16
 B.L. No. 7036272
 P.O. No./Govt Contract No. C64813
 Ln#: 4

Ship From:
 Invoice No. 00000
 Customer Alcoa Item
 Alcoa No. 1000363803-4
 Item DPE-63803-4

CQR: 0230501.2 - Specification Limits (cont.)

Chemical Composition		SI	FE	CU	MN	MG	CR	ZN	TI	Each	Total	Aluminum	Other
Alloy 6061 Lot: 463273	Max	0.8	0.7	0.40	0.15	1.2	0.35	0.25	0.15	0.05	0.15	0.15	
	Min	0.40	0.40	0.15	0.15	0.8	0.04					REMAIN	
- Mechanical, Physical, Metallography, Quantometer Results													
Tmpr T6	Dir Long Transv.	No-> Test 7	UTS		TYS		KSI		EL4D				
			KSI		KSI		PCT						
			49.3		44.1		11.4						
			49.5		44.2		11.8						
			49.3		44.1		11.1						
			49.3		44.2		11.2						
			49.4		44.2		11.5						
			49.3		44.1		11.2						
			49.2		44		11.2						

Cast Number H8729042
 Chemical - OES
 Actuals SI 0.65 FE 0.4 CU 0.26 MN 0.06 MG 0.9 CR 0.16 ZN 0.03 TI 0.03

This material was melted in the United States or a Qualifying Country [REF DFARS 225.872.1(a)]; it was manufactured in the United States

only
 13/6/10



ESSAR STEEL LTD.
HAZIRA - 394270, DIST. SURAT, GUJARAT, INDIA
MILL TEST AND INSPECTION CERTIFICATE

Test Certificate No : ESH/TC/E/10/CRCA/2012/002207 Date: 02.03.2012 To: CONSIGNEE-T
Sales Order No : 2110017517 Date: 07.01.2012
Specification : ASTM A1008 CS TYPE B 2007
Product Type : CRCA-COIL

WE CERTIFY THAT THE UNDERMENTIONED MATERIAL DESCRIBED AGAINST THE RESPECTIVE CAST NO HAVE SATISFIED THE REQUIREMENTS OF CHEMICAL COMPOSITION AND/OR PHYSICAL TESTS OF THE RESPECTIVE SPECIFICATION(S) AS FOUND IN THE REPRESENTATIVE SAMPLES SELECTED FROM THEM.


Item	Section/Size No. T X W (inch)	Coil No. -Part No.	Cast No.	Quantity (mt)		Cast Analysis								Mechanical Properties							
				Net WL	Gross WL	C %	Mn %	N.S. %	P %	S %	Yb %	N.S. %	UTS N.S.	EL N.S.	BEND N.S.	RA N.S.					
	Min →					0.020	0.590	0.035	0.030	275	140	30	0.890								
	Max →					0.150	0.590	0.035	0.030	275	140	30	1.660								
										MPA	MPA	%	MICR								
070 0.056 X 48.375		2B0712100R	12100141	10.480	10.565	0.048	0.275	0.006	0.016	218	325	38	OK	1.100	C 773445						
070 0.056 X 48.375		2B0712200R	12100141	9.940	10.005	0.048	0.275	0.006	0.016	218	325	38	OK	1.100	C 759928						
070 0.056 X 48.375		2B0713100R	12100301	10.600	10.685	0.055	0.300	0.007	0.011	208	320	39	OK	1.100	C 778174						
070 0.056 X 48.375		2B0713200R	12100301	9.840	9.905	0.055	0.300	0.007	0.011	208	320	39	OK	1.100							
070 0.056 X 48.375		2B0714100R	12100301	10.310	10.395	0.055	0.300	0.007	0.011	201	312	46	OK	1.110							
070 0.056 X 48.375		2B0714200R	12100301	10.700	10.785	0.055	0.300	0.007	0.011	201	312	46	OK	1.110							
070 0.056 X 48.375		2B0715100R	12100300	10.440	10.525	0.049	0.305	0.006	0.011	218	339	40	OK	1.170							
070 0.056 X 48.375		2B0715200R	12100300	9.800	9.865	0.049	0.305	0.006	0.011	218	339	40	OK	1.170							
070 0.056 X 48.375		2B0716100R	12100300	10.770	10.855	0.049	0.305	0.006	0.011	207	334	40	OK	1.200	C 773841						
070 0.056 X 48.375		2B0716200R	12100300	9.460	9.525	0.049	0.305	0.006	0.011	207	334	40	OK	1.200	C 759929						
070 0.056 X 48.375		2B0717100R	12100300	8.120	8.185	0.049	0.305	0.006	0.011	229	331	38	OK	0.810	C 759929						
070 0.056 X 48.375		2B0717200R	12100300	10.330	10.415	0.049	0.305	0.006	0.011	229	331	38	OK	0.810	C 775163						



13/01/10

Item No.	Section/Size	Cold No. -Pack No.	Cast No.	Quantity (mt) Net Gross Wt. Wt.	Cast Analysis					Mechanical Properties				
					C	Mn	S	P	Ys	UTS	EL	BEND	RA	
	Min →				0.028	.N.S.	.N.S.	.N.S.	140	.N.S.	30	.N.S.	0.809	
	Max →				0.156	0.500	0.035	0.030	275	.N.S.	.N.S.	.N.S.	1.600	
										MPA				MPa
976	0.056 X 48.375	280754100R	12100301	10.350	0.035	0.300	0.007	0.011	210	336	40	OK	1.830	
976	0.056 X 48.375	280754100R	12100301	10.410	0.035	0.300	0.007	0.011	210	336	40	OK	1.830	
970	0.056 X 48.375	280755100R	12100302	10.690	0.054	0.290	0.006	0.008	210	336	40	OK	1.050	
970	0.056 X 48.375	280755100R	12100302	9.134	0.054	0.290	0.006	0.008	210	336	40	OK	1.050	
970	0.056 X 48.375	281542100R	12400167	9.960	0.053	0.283	0.004	0.020	199	328	44	OK	1.170	
976	0.056 X 48.375	281542100R	12400167	10.050	0.053	0.283	0.004	0.020	199	328	44	OK	1.170	
TOTAL :				485.640	489.289									

Note: 1. Test Certificate conforms to EN 10264-3.1. Legend:- Ys : Yield Strength UTS : Ultimate Tensile Strength EL : % Elongation on G.L. - 50MM BEND: 0 deg RA: Ra in Micro Specified.





Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO18685**

Purchase Order Date 1/03/13

PO Print Date 1/03/13

Page Number 1 of 1

Order From :

CAMPI STEEL
935 BOUL. DU HAVRE
VALLEYFIELD, QC J6S 5L1
CA

VC-CAM002

Contact Name

Vendor Phone 800 667 4248

Vendor Fax 450 377 5696

Vendor Account Nbr

Buyer

Linda Lacelle

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

Ship To :

DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	M1010S16GA	1010/1025 sheet 16GA	1/04/13 Yes	196.00 sf	Yours ppd	\$1.7620	\$345.35
		Special Inst: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, 38W/44W/50W/60W/70W MINIMUM YIELD TENSILE STRENGTH= 28KSI MINIMUM ULIMATE TENSILE STRENGTH= 42KSI COLD ROLLED					
2	M6061T6S.100	6061-T6 .100 Sheet	1/08/13 Yes	96.00 sf	Yours ppd	\$5.8900	\$565.44
		Special Inst: 6061-T6/T62 ALUM SHEET QQ-A-250/11 OR AMS-QQ-A-250/11 OR AMS 4025 OR AMS 4027 OR ASTM B209					
PO Total:							\$910.79

Change Nbr: 1

Change Date: 1/03/13

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required - YES NO